



COUNT ON BIZHUB COLOR TO KEEP YOU COMPETITIVE AND HELP YOU COMMUNICATE MORE EFFECTIVELY. WITH EXCLUSIVE SIMITRI® HD TONER QUALITY, THE BIZHUB C360, C280 AND C220 PRODUCE SPECTACULAR COLOR DOCUMENTS AT HIGHER SPEED AND LOWER COST. KONICA MINOLTA ALSO LEADS THE INDUSTRY IN A WIDE RANGE OF OPTICAL AND ENGINEERING TECHNOLOGIES — INNOVATION THAT EARNED THE BIZHUB C360 SERIES BLI'S "PICK OF THE YEAR" AWARD. THE BIZHUB C360 SERIES OUTPERFORMS MONOCHROME DEVICES, STREAMLINES YOUR WORKFLOW, AND MAINTAINS COMPETITIVE TOTAL COST OF OWNERSHIP — AN UNBEATABLE BIZHUB COMBINATION.

Color that makes business look better than ever.

Your next-generation B&W replacement.

If you've been marking time with current B&W equipment, now's the time to move to color. The bizhub C360 Series gives you full-color print/copy/scan replacement with full MFP functionality — and without sacrificing B&W cost-efficiency.

Konica Minolta technology gives you higher color quality than conventional monochrome replacement printers can provide. That means any-sized business can produce superb full-color documents at the same speed as B&W — up to 36 ppm. You can mix color and B&W printing to meet the needs of each document. From finance and insurance to education, marketing and corporate communications, everyone will benefit from the bizhub advantage.

Even light-production office environments will benefit from accelerated processing, high output speed, and cost-effective printing to keep pace with rising demands. And there's a powerful option for the bizhub C360 and C280 in graphics-intensive applications: a Fiery® Print Controller with a host of color enhancements, including sophisticated color calibration, advanced queue management, and Fiery VUE for expert results without expert knowledge.

bizhub /



Eco Vision 2050 is Konica Minolta's commitment to protect the environment — saving energy, preserving resources, promoting recycling and reducing $\rm CO_2$ emissions by 20% in 2015 — and ultimately by 80% in 2050, to help sustain the environment for generations to come. Please visit our website to learn more about our environmental initiatives and our exclusive Clean Planet Program.

The beauty of Simitri HD Toner with Biomass.

Smaller, more uniform particles. Energy-saving, low-temperature oil-less fusing. And Biomass, a renewable organic resource that makes it friendlier to the environment than traditional toner. All to create spectacular images with sharper detail and finer halftone definition — in color documents that won't crack, peel, or fade over time.

Konica Minolta's exclusive Simitri HD toner with Biomass technology gives you all these advantages. In the bizhub C360, C280 and C220, you'll also have new advancements in color reproduction. Improved resolution, with 1800 dpi equivalent x 600 dpi. Smooth 256-grayscale gradation, for lifelike photos. Richer tonality, for vivid color graphics. And outline PDF, to smooth text edges for greater legibility.

Industry-leading image stabilization helps speed your output, with settings that optimize performance for near 100% productivity in various applications. Improved image processing maintains excellent color uniformity through long-run print jobs — a real plus.

Sophisticated design, simple operation.

Konica Minolta has incorporated animated screens to guide you and make menus more user-friendly. You can also count on a wide range of new control advantages — including the industry award-winning speed and convenience of MyTab™ printing, so individuals can create a customized tab that saves their preferred print settings for quick access.

A large 8.5" color touch-panel display makes even first-time operators more productive. User-friendly controls, simple menus and programmable short-cut keys put more power at your fingertips. Thumbnails let you preview documents before you print, avoiding mistakes that waste time and paper. Using just one finger, a simple pull can open smooth-rolling paper drawers with lock-release levers. And easy-loading drawers, tilting control panel and clearly visible LED colors provide Section 508 compliance.

From every angle, the bizhub C360 Series is designed for good looks and great performance. Sleek dark cabinet color. Compact space-saving design. An InfoLine™ display that shows operating status at a glance, even from across the room. And using an optional Working Table (Side Panel Kit WT-507), you can remount your color touch-screen to the side of your bizhub for better fit in smaller spaces.

The built-in power of bizhub OP.

It drives the unique Konica Minolta approach to MFP performance: sophisticated functions, simple operation, seamless networking.

Designed for greater productivity, the proprietary bizhub OP (Open Platform) control system adheres, adapts and expands to the needs of your growing IT infrastructure. Exclusive bizhub Architecture gives you integrated performance, uniform operation and less need for operator training. The Emperon® Print System is built in, for full print/copy/scan functionality. And bizhub Extended Solution Technology (bEST) integration can interface seamlessly with print management, variable printing, cost control and other specialized software — all the advantages you need to do business right in the digital era.



The importance of green technologies.

With Konica Minolta, the environment isn't an afterthought. Right from the start, we incorporate green technologies into every bizhub we make. Lower power consumption. Energy-saving operating modes. High-yield toner bottles designed for easy recycling.

We also cut down on emissions, minimize pollutants and utilize recycled materials wherever possible in our manufacturing operations — aiming for reduced environmental impact throughout the life cycle of each bizhub product.

While you work, the bizhub C360 Series is whispersoft in printing, document feeding and standby modes, with quieter fan, smoother paper feed and reduced vibration — so everyone can get more done with less distraction.








Industry award-winning MyTab™ convenience.



Printing that speeds document output and cuts costs.



FOR MID-SIZE BUSINESSES AND WORKGROUPS, IN-HOUSE COLOR PRINTING CAN SAVE SERIOUS MONEY.

COUNT ON THE BIZHUB C360 SERIES TO PRINT HIGH-QUALITY COLOR JOBS MORE EFFICIENTLY: REPORTS,

PRESENTATIONS, SALES AIDS, DIRECT-MAIL BROCHURES, TRAINING AND HUMAN RESOURCE MATERIALS

THAT STRENGTHEN YOUR MESSAGE AND IMPROVE YOUR IMAGE. YOU'LL ALSO HAVE ADVANCED PRINT

FUNCTIONALITY AND POWERFUL FINISHING OPTIONS — THE KEY TO HIGHER IN-HOUSE PRINT PRODUCTIVITY.

Print control is built into your bizhub.

With built-in print control powered by Konica Minolta's advanced Emperon Print System, you can count on full print productivity right out of the box. Up to 1 GHz controller speed and 2 GB main memory give you all the power you need for higher output and superior quality — the kind standard printer/copiers can't match.

Windows Vista drivers, PCL6/PS3 emulations, and native XPS functionality handle print files in whatever format you need. The PostScript driver offers Auto Trapping and Black Overprint functions. And Universal Printer Drivers simplify print management with a common user interface, standard commands, and auto detection and configuration of devices to simplify IT control in multi-printer networks.

For total flexibility, you'll have Bluetooth® wireless printing (with optional EK-605), a standard front-panel USB connector for conveniently saving files to and printing from a USB thumb-drive, USB memory printing with document preview, and the ability to import/export files via USB memory to/from individual User Boxes.

Productivity, reliability, economy.

In action, the bizhub C360, C280 and C220 all bring you unsurpassed reliability and cost-efficiency. Internal components have been redesigned for longer life and greater accessibility. Large color toner capacity allows you to work longer. And separate black drum, separate color drums and individual CMYK developer units can be replaced as necessary to save even more.



nub C360 bizhub C2



C280 bizhub



STATE STATE OF THE STATE OF THE



Options to do more – and do it better.

Right-size scalability makes your bizhub a perfect match for the specific document needs of any application.

You'll have two finishing options: an internal Staple Finisher (FS-529), with 50-sheet 3-position stapling and electronic sorting — or a compact Floor Finisher (FS-527), with 50-sheet stapling and modular design for addressing your other autofinishing needs: Hole-Punch Kit (PK-517) for 2/3-hole punching, Saddle Kit (SD-509) to create up to 60-page (15-sheet) booklets, and Job Separator Tray (Third Output Tray JS-603) to sort prints and copies more effectively.

The Banner Paper Tray (MK-713) even lets you stock up to 10 banner sheets to produce full-color banners up to 11.75" x 47.25". There's also a Job Separator Tray (JS-505) for sorting print/copy/fax output. Banner printing is supported with FS-529, FS-527, JS-505, or without finishing options. Please check the bizhub media guide for recommended banner paper.




More printing, less waiting.

Every bizhub C360 Series model is built for speed. An optional high-capacity reversing auto document feeder lets you scan or copy originals in sizes up to 11" x 17". Proof Copy lets you check your output before making a full print/copy run. And you can print and automatically duplex up to 140 lb. index stock with 100% duplex productivity at rated engine speed.

For multi-page memos and reports, a cornerstaple key is on the basic copy menu for quick setup. In copy mode, you can automatically apply a transparent watermark to copies — and easily copy two-sided business cards, drivers' licenses and insurance cards with the new Card Shot feature.

Higher paper capacity lets you print or copy longer without reloading. An optional 2,500 sheet Large Capacity Cassette (PC-408) raises maximum paper capacity to 3,650 sheets. You can load up to 12" x 18" paper to print oversized graphics, 2-page spreads and color proofs preserving crop marks and borders.



Control that turns technology into productivity.

DIGITAL TECHNOLOGY CAN SPEED AND SIMPLIFY YOUR WORKFLOW – AND YOU CAN COUNT ON THE BIZHUB C360 SERIES

TO HELP YOU MOVE INFORMATION FASTER. YOU CAN SCAN, SAVE, SHARE IN SECONDS. DISTRIBUTE FILES TO MULTIPLE

DESTINATIONS. INCREASE YOUR THROUGHPUT WITH COLOR CONTROL, HIGH-VOLUME SUPER G3 FAX, AND UNIQUE I-OPTIONS.

MAKE USE OF SPECIAL BIZHUB FEATURES CUSTOMIZED TO THE WAY YOUR BUSINESS WORKS. SAFEGUARD YOUR DATA WITH

ADVANCED SECURITY FUNCTIONS – AND INCREASE YOUR PRODUCTIVITY WITH SEAMLESS NETWORKING SOFTWARE.



Scan documents to multiple destinations.

With touch-screen simplicity, you can scan to Email, FTP, SMB, and perform TWAIN scanning from PCs. Scan-to-Me and Scan-to-Home let you quickly bring information into your personal workflow. A unique bizhub Send function lets you perform scan functions simultaneously — for example, Emailing a file to a co-worker while faxing it to an outside supplier and saving it to your FTP site.

User Boxes on your built-in 250 GB Hard Disk Drive give you dedicated storage for document creators, departments, workgroups, even projects. Quick access to User Box functions and User Box Routing enable you to share documents, move/delete/combine pages, even change resolution and color output settings.

WebDAV (Web-based Distributed Authoring and Versioning) support makes it easy to manage server files and folders, identify authors and dates, lock documents and track revisions. IPv6 support increases IP addressing power and security by giving every networked bizhub device its own IP address. And Gigabit Ethernet handles information more quickly to reduce traffic demands on your network.

More ways to increase your throughput.

For all-in-one productivity, Color Internet Faxing and a Fax Kit option provide Super G3 speed, sophisticated transmission/reception features, Color Internet Faxing, PC and IP Address Faxing — along with an address book that holds thousands of locations, broadcasting and program dialing capabilities, and optional dual line to double your fax handling capacity.

Three unique Konica Minolta i-Option® Kits let you incorporate more special features into your bizhub system. The LK-101 v2 i-Option Kit provides an AJAX-capable web browser for faster Internet access, Scan-to-SharePoint® convenience, and Image Panel interface to manage User Box files more easily. The LK-102 i-Option Kit gives you government-level AES 128-bit PDF encryption. And the LK-105 i-Option Kit adds searchable PDF functionality, so you can quickly locate text and data in PDF files.

Fire up your color graphics.

An optional IC-412 Fiery® Image Controller is available for the bizhub C360 and C280 – offering sophisticated color management and document printing tools. You'll be able to handle specific Pantone color requirements, manage print queues more effectively, and fine-tune color output with advanced control capabilities. Fiery Booklet Maker makes it easy to create sophisticated full-color booklets with supplied templates. And Fiery VUE gives creators an intuitive, icon-driven view of their documents – to orchestrate all elements into a professional high-impact result.



fiery

Unit (AU-201H),

HID iClass Card

Unit (AU-202H).

Magnetic Stripe

(AU-204H), CAC/PIV

Solution (AU-211P)*

and Biometric

Authentication

secure access

to bizhub MFP

functions, and

quick "ID and

Print" operation.

Unit (AU-102), for

Card Reader

IT power with PageScope software.

Finally, every bizhub C360 Series model lets you take advantage of Konica Minolta's integrated PageScope® software – powerful programs that work together to increase your productivity.

PageScope Enterprise Suite is a server-based authentication and accounting solution that tracks bizhub activities on a per-page basis. It provides password-protected log-in with multiple ID authentication possibilities: Biometric, HID Proximity Cards, HID iClass Cards, Magnetic Stripe Cards, and CAC/PIV Cards*. You can print securely any time, anywhere, with customized bizhub display at any MFP on your network – so your print job follows you wherever you go.

PageScope Web Connection gives each bizhub device its own "website" for simple setup and control. PageScope Net Care Device Manager lets IT administrators manage multiple devices from a single point. There's also PageScope Print Status Notifier, with automatic alerts to speed your workflow. PageScope Data Administrator™, to handle addresses, passwords, and accounts more easily.

In any application, even with the busiest workloads at times of peak document traffic, your bizhub does it all.



Konica Minolta leads the industry in protecting sensitive information – conducting far more extensive security evaluations than our competitors do. All three buzhub C360 Series models are certified for ISO 15408 Common Criteria security classification that meets the strict version 3.1.

Standard security protections include bizhub Secure Print password locks, Customized User Authentication for printing, scanning, faxing and User Box, Encrypted PDF workflow to protect information passing from PC to network, IP Filtering to register IP addresses of PCs on your network, SSL/TLS Encryption to protect data during exchange with LDAP servers, S/MIME Encryption to safeguard Email exchanges and Audit Log/Image Log to track usage and control access.

There's more: HDD Lock, 3X HDD Job Erase function, and HDD sanitizing to overwrite data in 8 different modes to meet military and international standards.

Optional security enhancements can increase your protection — with Copy Guard and Password-Protected copy functions (SC-507 required).

COUNT ON KONICA MINOLTA

Konica Minolta Business Solutions U.S.A., Inc., is a fast-growing leader in advanced digital imaging systems. From desktop to print shop, Konica Minolta supplies leadership products that business professionals count on to fulfill increasing demands for high-speed, low-cost color and B&W document output. With over 37,000 worldwide employees, cutting-edge research programs in optical and digital technology, and the industry's most complete line of document imaging solutions, Konica Minolta was recognized by Brand Keys for the second consecutive year as the #1 Brand for Customer Loyalty in the MFP Office Copier Market. As long as you count on Konica Minolta, you've made the right decision.

For more information, please visit: www.CountOnKonicaMinolta.com







bizhub C360

General Specifications:	DIZITUD GZZO	DIZITUD GZOO	DIZITUD COO
TYPE:		Full-Color Printer/Copier/Scanner with Stationary Platen	
RINT/COPY PROCESS; TONER TYPE:	Tandem Process; Simitri® HD Toner with Biomass		
IONTHLY DUTY CYCLE:	60,000 pages	75.000 pages	100,000 pages
RINT/COPY SPEED:	Full Color & B&W: 22 ppm (letter, portrait)	Full Color & B&W: 28 ppm (letter, portrait)	Full Color & B&W: 36 ppm (letter, portrait)
INT/COPY RESOLUTION:	Tuli color a baw. 22 ppm (lotto), portraity	1800 dpi equivalent x 600 dpi	Tali ooloi a baw. oo ppin (lottoi, portiali)
AN SPEED/RESOLUTION:	Full Color: 70 opm (@200 dpi lotter), 42 opm (@		(@600 dpi lottor)/200 dpi 200 dpi 400 dpi 600 dpi
	Full Color: 70 opm (@300 dpi, letter), 42 opm (@600 dpi, letter), B&W: 70 opm (@300 dpi, letter), 42 opm (@600 dpi, letter)/200 dpi, 300 dpi, 400 dpi, 600 dpi		
AN FILE FORMATS:	TIFF, PDF, Compact PDF, JPEG, XPS, Compact XPS		
MORY/HARD DISK DRIVE:	2 GB (snared	print, copy, scan and fax memory)/250 GB HDD (shared print, c	copy, scan and tax)
ADATION:	256 color shades per pixel		
IGINAL SIZE:	Up to 11" x	17" (scanning/copying), Up to 11" x 17" full bleed on 12" x 18"	" paper (printing)
PY SIZE:	Tray 1: 8.5" x 11" to 11" x 17", 5.5" x 8.5", 8" x 13", Tra	ay 2: 8.5" x 11" to 12.25" x 18", 5.5" x 8.5", 8" x 13", Bypass T	Tray: 5.5" x 8.5" to 12" x 18", 12.25" x 18", 4" x 6", 8" x 13"
ARM UP TIME (FULL COLOR/B&W):	27 seconds or less/22 seconds or less	35 seconds or les	ss/27 seconds or less
IST COPY TIME:	11 seconds or less/7.5 seconds or less		ss/5.8 seconds or less
PY QUANTITY:	11 00001100 01 10001110 00001100 01 1000	1-9.999	10/010 000011d0 01 1000
AGNIFICATION:	700m rango: 25% 400% 0.1% i	increments, Preset reduction: 79%, 73%, 65%, 50%, Preset enl	argament: 121%, 120%, 155%, 200%
LOR MODES:	200111 Tally6. 25 76 - 400 76, 0.1 76 1	Auto Color, Full Color, Black & White, 2-Color, Single Color	largement. 12176, 12976, 13376, 20076
	Total (In ellel a total). Total (Dhata (aless total and halftenes).		ut) Det Metric (det enetric en eneril existent) Contra Dener
PY EXPOSURE MODES:	Text (legible text), Text/Photo (clear text and halftones), Photo (optimized for gradations), Map (fine edges and legible text), Dot Matrix (dot matrix or pencil originals), Copied Paper		
KING (OPTIONAL):	Super G3 compatib	oility, MH, MR, MMR, JBIG data compression, 33.6 Kbps modem	
X TRANSMISSION SPEED:		Less than 3 seconds/page (V.34, JBIG, Standard Resolution))
X EXPOSURE MODES:		Text, Text/Photo, Photo, Dot Matrix, Copied Paper	
ANDARD PAPER CAPACITY:	500-sheet universal cassette (16 lb. bond to 140 lb. index)	, 500-sheet universal cassette (16 lb. bond to 140 lb. index), 15	50-sheet bypass (16 lb, bond to 100 lb, cover or up to 271 gsm)
XIMUM PAPER CAPACITY:	2 2 2 2 (10 151 551 4 15 15 15 11 11 10 15)	3,650 sheets (total, with options)	, , , , , , , , , , , , , , , , , , ,
OCUMENT FEEDER (OPTIONAL):	Reversing Automatic Decument Fooder		cheets Paner Size 5 5" v 8 5" to 11" v 17"
JOURLAN I LLDEN (UF HUNAL):	Reversing Automatic Document Feeder, Speed: Full Color: 70 opm, B&W: 70 opm, Paper Capacity: 100 sheets, Paper Size: 5.5" x 8.5" to 11" x 17" Paper Weight: Single-sided: 9.25 lb. bond to 55.75 lb. bond, Double-sided or mixed: 13.25 lb. bond to 34 lb. bond		
	Paper weight: Single-si		3.20 ID. DUTIO 10 34 ID. DUTIO
OWER REQUIREMENTS/CONSUMPTION:		120V, 60Hz/Less than 15kW	P.D. (0.4.0.1)
MENSIONS (W x D x H)/WEIGHT:		" x 33.38" (27.75" without control panel) x 35.38" (includes RAI	
PTIONS:	AU-102 Biometric Authentication Unit, AU-201H HID Card Authentication Unit, AU-202H HID iClass Card Unit, AU-204H Magnetic Stripe Card Reader, AU-211P CAC/PIV Solution*, DF-617 RV DK-507 Copy Desk, EK-604 USB Interface for External Keyboard, EK-605 USB Interface for External Keyboard and Bluetooth Support, External Keyboard, C652 Series/C360 Series Fax Kit FK-502 Fax Board, FS-527 Floor Finisher, FS-529 Inner Finisher, IC-412 Image Controller (EFI Fiery Controller)**, JS-505 Job Separator Tray, JS-603 Job Separator Tray (3rd Output Tray) KH-101 Keyboard Holder, LK-101 v2 i-Option, LK-102 i-Option, LK-105 i-Option, MK-713 Banner Paper Guide, MK-720 Fax Connection Kit, OC-509 Original Cover, PC-107 Paper Feed Cass		
AVAILABLE PRINT/COPY FUNCTIONS:	PC-207 2-way Paper Feed Cassette, PC-408 Large Capacity Cassette, PK-517 Punch Kit, SC-507 Copy Guard Kit, SD-509 Saddle Stitcher Kit, Spare TX Marker Stamp 2, SP-501 Fax Stamp UK-203 i-Option Memory Upgrade Kit, WT-506 Working Table, WT-507 Working Table (Side Panel Kit), VI-505 Video Interface Kit for IC-412** Account Track (1,000 accounts), Administration Mode, Auto Duplex, Auto Trapping, Auto Tray Switching, Bi-Directional Communication, Black Over Print, Bluetooth Printing, Card Shot,		
AVAILABLE PHINI/LUPY FUNCTIONS:	Rocconic mack (1,000 accounts), Authinistration wode, Auto Duplex, Auto Happing, Auto Hap Switching, Briblectional Commination, Stack Over Finit, Biolection Finit, Beleast Hand, Color Mode, Science & White Mode, Single Color Mode, 2-Color Mode), Color Adjustments, Copy Guard, Copy Modes (Simplex/Duplex, 2-in-1, 4-in-1, 8-in-1, 8-in-1, Book, Bo Booklet + Bind), Cover Mode, Creative Functions (Mirror Image, XY Zoon, Image Center, Base Color, Neg./Pos. Reverse, Image Repeat), Encrypted Network Password Printing, Energy Save M Enlarge Display, Erase (Border, Frame, Edge), Mode, Finishing (Group, Sort, Staple, Punch, Half-Fold, Center Staple and Fold), Form Overlay, Glossy Mode, HDD Encryption, HDD Job Overwrit		
	HDD Sanitizing, Image Adjustments (Color Matching, Pure Black Auto ON/OFF, Color Balance, Screen Settings, Image Smoothing ON/OFF), Image Preview (Job Finishing Image Display, Engine Configuration Display), Import/Export files to/from User Box, Interrupt, Job List, Job Reserve, Job Skip, LDAP, Mixplex, Mix-Media, MyTab, Non-Image Area Erase, OHP Interleaving, Outline PDF, Program/Recall Jobs, Paper Type Selection, (Normal, Thick 1, Thick 2, Thick 3, Thick 4), Password Copy, Print Modes (Simplex/Duplex, 2-in-1, 4-in-1, 6-in-1, 9-in-1, 16-in-1, 16-in-1, 9-in-1, 16-in-1, 9-in-1, 16-in-1, 9-in-1, 16-in-1, 9-in-1, 16-in-1, 9-in-1, 16-in-1, 16-in		
VAILABLE SCAN FUNCTIONS:	Booklet + Bind), Print from USB, Proof Copy, Searchable PDF, Secure Printing, Separate Scan, Text Enhancement, User Authentication (Up to 20 Authentication Servers) (Synchronize w/Account T User Box Function, Utility (Meter Count, Environment Setting, Default Setting, One-Touch Setting, Check Consumables Life), Watermark, Zoom Selection Scan-to-Email, Scan-to-FTP, Scan-to-HDD (Scan-to-User Box), Scan-to-Home, Scan-to-Home, Scan-to-SharePoint, Scan-to-SMB (Scan-to-Desktop), Scan-to-USB, Scan-to-WebDAV, Network TW		
		WS-Scan, Color Internet Fax	
/AILABLE FAX FUNCTIONS:	Autodialing (2,000 one-touches), Auto Memory Reception, Auto Reduction Printing, Broadcasting (maximum 605 locations), Bulletin Board, Duplex Transmission/Reception, Exposure Mode, Group I (up to 500 one-touches per group), Image Rotation Transmission/Reception, Mailbox Transmission/Reception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, Polling Transmission/Reception, Print Setting or Overnight Reception, Program Dialing (400 programs), Redial, Relay Broadcasting, Relay Transmission, Remote Reception Timer Transmission, TSI Routing		
DDI IOATIONIO.	Naturals 9 Davids Managements Davids		t. Developed Manager (IOO Onless Deville LIEUt.)
PLICATIONS:		be Data Administrator, Driver Packaging Utility, HDD Back-Up Utili	
	Log Management Utility, User Iools: PageScope Web Connection	on, PageScope Direct Print, PageScope Box Operator, PageScop	oe Print Status Notifier, Font Management Utility, Copy Protect Ut
ANAGEMENT TOOLS:		bizhub vCare support	
PTIONAL SOFTWARE:	PageScope Enterprise Suite: PageScope Ac	count Manager, PageScope Authentication Manager, PageScope N	MyPrint Manager, PageScope MyPanel Manager,
		PageScope NetCare Device Manager (standard)	
peron Print System:			
OCESSOR:	667 MHz (MPC8533E)	1.015	(MPC8533E)
	001 IVIDZ (IVIPO0033E)		, ,
EMORY/HDD: GE DESCRIPTION LANGUAGE:	2 GB (shared copier memory)/250 GB (shared copier HDD) PCL5e/c, PCL6 (XL v.3.0) Emulation, PS3 (v.3016) Emulation, XPS v.2.1.4.0 (XML Paper Specification) PCL: 80 fonts, PostScript 3 Emulation: 137 fonts		
ONTS:	1 02000,1 020 (
	PCL6: Windows 2000 Professional, Windows NT 4.0, Wi Windows Server 2008 (x32, x64) PS3: Windows 2000 Profession Windows Server 2008 (x32, x64) Universal PS3 and PCL:	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x6 onal, Windows XP Home/Professional (x32, x64), Windows Vista Windows 2000, Windows XP, Windows Vista, Windows 7 (x32, x	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003, Windows Server 2008 (x32, x64)
int drivers:	PCL6: Windows 2000 Professional, Windows NT 4.0, Wi Windows Server 2008 (x32, x64) PS3: Windows 2000 Professic Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64),	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x64), Windows Vista (x32, x64), Windows XP Home/Professional (x32, x64), Windows Vista; Windows 2000, Windows XP, Windows Vista, Windows 7 (x32, X64), Windows Server 2008 (x32, x64) Mac: OS 9.2 (PPD file), OS X 1	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003, Windows Server 2008 (x32, x64) (10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6
int drivers: Terface:	PCL6: Windows 2000 Professional, Windows NT 4.0, Wi Windows Server 2008 (x32, x64) PS3: Windows 2000 Professional Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), TCP/IP (IPv4/IPv6), B00TP, ARP, ICMP, DHCP, DHCPv6, Auto	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x6 onal, Windows XP Home/Professional (x32, x64), Windows Vista Windows 2000, Windows XP, Windows Vista, Windows 7 (x32, x	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003, Windows Server 2008 (x32, x64) 10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6 Host P, SMTP, LDAP, NTP, SSL, IPX/SPX, AppleTalk, Bonjour, NetBEUI,
erface: Otocols:	PCL6: Windows 2000 Professional, Windows NT 4.0, Wi Windows Server 2008 (x32, x64) PS3: Windows 2000 Professional Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), TCP/IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCPv6, Auto	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x6), Windows Vista (x32, x6), Windows Vista: Windows XP Home/Professional (x32, x64), Windows Vista: Windows 2000, Windows XP, Windows Vista, Windows 7 (x32, xWindows Server 2008 (x32, x64) Mac: 0S 9.2 (PPD file), 0S X 1 10 Base-T/100 Base-TX/1000 Base-T, USB 1.1, USB 2.0, USB olp, SLP, SNMP, FTP, LPR/LPD, RAW Socket, SMB, IPP, HTTP, P0I	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003, Windows Server 2008 (x32, x64) 10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6 Host P, SMTP, LDAP, NTP, SSL, IPX/SPX, AppleTalk, Bonjour, NetBEUI,
TERFACE: OTOCOLS: ry IC-412 Embedded Image Controller (o	PCL6: Windows 2000 Professional, Windows NT 4.0, Wi Windows Server 2008 (x32, x64) PS3: Windows 2000 Profession Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), TCP/IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCPv6, Autoption for C360 and C280 only)**:	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x6), Windows Vista (x32, x6), Windows XP Home/Professional (x32, x64), Windows Vista; Windows XP, Windows Vista, Windows 7 (x32, x8), Windows Server 2008 (x32, x64) Mac: 0S 9.2 (PPD file), 0S X 1 10 Base-T/10B Base-TX/1000 Base-TX/100 Base-TX/10B 1.1, USB 2.0, USB olp, SLP, SNMP, FTP, LPR/LPD, RAW Socket, SMB, IPP, HTTP, POI WebDAV, DPWS, S/MIME, IPsec, DNS, Dynamic DNS, LLMNR, L	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2008 (x32, x64) 10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6 Host P, SMTP, LDAP, NTP, SSL, IPX/SPX, AppleTalk, Bonjour, NetBEUI, LTD
TERFACE: 0TOCOLS: ry IC-412 Embedded Image Controller (o	PCL6: Windows 2000 Professional, Windows NT 4.0, Wi Windows Server 2008 (x32, x64) PS3: Windows 2000 Professic Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), TCP/IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCPv6, Autoption for C360 and C280 only)**:	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x64), Windows Vista (x32, x64), Windows Vista (x32, x64), Windows XP Home/Professional (x32, x64), Windows Vista; Windows 2000, Windows XP, Windows Vista, Windows 7 (x32, x84), Windows Server 2008 (x32, x64) Mac: 0S 9.2 (PPD file), 0S X 1 10 Base-T/100 Base-TX/100D Base-T, USB 1.1, USB 2.0, USB 10P, SLP, SNMP, FTP, LPR/LPD, RAW Socket, SMB, IPP, HTTP, POI WebDAV, DPWS, S/MIME, IPsec, DNS, Dynamic DNS, LLMNR, Let Celeron 1.86 GHz FSB 533 MHz; 512 MB (standard/max)/80 (standar	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003, Windows Server 2008 (x32, x64), Windows Server 2008, Windows Server 2008 (x32, x64) (10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6 Host P, SMTP, LDAP, NTP, SSL, IPX/SPX, AppleTalk, Bonjour, NetBEUI, LTD
TERFACE: 10TOCOLS: Pry IC-412 Embedded Image Controller (a 10CESSOR; MEMORY/HARD DISK DRIVE: GE DESCRIPTION LANGUAGE; FONTS:	PCL6: Windows 2000 Professional, Windows NT 4.0, Windows Server 2008 (x32, x64) PS3: Windows 2000 Professic Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), TCP/IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCPv6, Autoption for C360 and C280 only)**:	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x60), Windows Vista (x32, x60), Windows Vista (x32, x60), Windows Vista (x10), Windows XP Home/Professional (x32, x64), Windows Vista; Windows 7 (x32, x10), Windows Server 2008 (x32, x64) Mac: OS 9.2 (PPD file), OS X1 10 Base-T/100 Base-TX/1000 Base-T, USB 1.1, USB 2.0, USB OIP, SLP, SNMP, FTP, LPR/LPD, RAW Socket, SMB, IPP, HTTP, POI WebDAV, DPWS, S/MIME, IPsec, DNS, Dynamic DNS, LLMNR, Lel Celeron 1.86 GHz FSB 533 MHz; 512 MB (standard/max)/80 (x Adobe PostScript 3 (version 3017); PCL: 80 fonts, Adobe PS3:	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003, Windows Server 2008 (x32, x64), Windows Server 2008, Windows Server 2008 (x32, x64) (10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6 Host P, SMTP, LDAP, NTP, SSL, IPX/SPX, AppleTalk, Bonjour, NetBEUI, LTD
TERFACE: ROTOCOLS: BY IC-412 Embedded Image Controller (a ROCESSOR; MEMORY/HARD DISK DRIVE: GE DESCRIPTION LANGUAGE; FONTS:	PCL6: Windows 2000 Professional, Windows NT 4.0, Wi Windows Server 2008 (x32, x64) PS3: Windows 2000 Professic Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), TCP/IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCPv6, Autoption for C360 and C280 only)**: Interest	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x6 and, Windows XP Home/Professional (x32, x64), Windows Vista (x32, x6 and, Windows XP Home/Professional (x32, x64), Windows Vista (x30, x6 and x6 and x6 and x7 and x7 and x7 and x7 and x7 and x8 and	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2008 (x32, x64) 10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6 Host P, SMTP, LDAP, NTP, SSL, IPX/SPX, AppleTalk, Bonjour, NetBEUI, LTD GB HDD 136 fonts ver 2003, Windows Server 2008 (x32, x64) (utilities only)
TERFACE: 10TOCOLS: Pry IC-412 Embedded Image Controller (a 10CESSOR; MEMORY/HARD DISK DRIVE: GE DESCRIPTION LANGUAGE; FONTS:	PCL6: Windows 2000 Professional, Windows NT 4.0, Wi Windows Server 2008 (x32, x64) PS3: Windows 2000 Professic Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), TCP/IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCPv6, Autoption for C360 and C280 only)**: Interest	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x60), Windows Vista (x32, x60), Windows Vista (x32, x60), Windows Vista (x10), Windows XP Home/Professional (x32, x64), Windows Vista; Windows 7 (x32, x10), Windows Server 2008 (x32, x64) Mac: OS 9.2 (PPD file), OS X1 10 Base-T/100 Base-TX/1000 Base-T, USB 1.1, USB 2.0, USB OIP, SLP, SNMP, FTP, LPR/LPD, RAW Socket, SMB, IPP, HTTP, POI WebDAV, DPWS, S/MIME, IPsec, DNS, Dynamic DNS, LLMNR, Lel Celeron 1.86 GHz FSB 533 MHz; 512 MB (standard/max)/80 (x Adobe PostScript 3 (version 3017); PCL: 80 fonts, Adobe PS3:	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2008 (x32, x64) 10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6 Host P, SMTP, LDAP, NTP, SSL, IPX/SPX, AppleTalk, Bonjour, NetBEUI, LTD GB HDD 136 fonts ver 2003, Windows Server 2008 (x32, x64) (utilities only)
IRT DRIVERS: TERFACE: OTOCOLS: ITY IC-412 Embedded Image Controller (a OCESSOR; MEMORY/HARD DISK DRIVE: GE DESCRIPTION LANGUAGE; FONTS: INT DRIVERS:	PCL6: Windows 2000 Professional, Windows NT 4.0, Wi Windows Server 2008 (x32, x64) PS3: Windows 2000 Professic Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), TCP/IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCPv6, Autoption for C360 and C280 only)**: Interest	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x6 and, Windows XP Home/Professional (x32, x64), Windows Vista (x32, x6 and, Windows XP Home/Professional (x32, x64), Windows Vista (x30, x6 and x6 and x6 and x7 and x7 and x7 and x7 and x7 and x8 and	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2008 (x32, x64) (10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6 Host P, SMTP, LDAP, NTP, SSL, IPX/SPX, AppleTalk, Bonjour, NetBEUI, LTD GB HDD 136 fonts ver 2003, Windows Server 2008 (x32, x64) (utilities only)
TERFACE: DOTOCOLS: BY IC-412 Embedded Image Controller (of OCESSOR); MEMORY/HARD DISK DRIVE: GE DESCRIPTION LANGUAGE; FONTS: INT DRIVERS:	PCL6: Windows 2000 Professional, Windows NT 4.0, Wi Windows Server 2008 (x32, x64) PS3: Windows 2000 Professional Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), TCP/IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCPv6, Autoption for C360 and C280 only)**: Interpetation PCL6 PCL6, PS3: Windows 2000, Windows XP (x32, x64) Mac: OS 9	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x6), Windows Vista (x32, x6), Windows Vista (x32, x6), Windows XP Home/Professional (x32, x64), Windows Vista, Windows 7 (x32, x6), Windows Server 2008 (x32, x64) Mac: OS 9.2 (PPD file), OS X1 10 Base-T/100 Base-TX/1000 Base-T, USB 1.1, USB 2.0, USB oIP, SLP, SNMP, FTP, LPR/LPD, RAW Socket, SMB, IPP, HTTP, POI WebDAV, DPWS, S/MIME, IPSec, DNS, Dynamic DNS, LLMNR, Let Celeron 1.86 GHz FSB 533 MHz; 512 MB (standard/max)/80 (x12, x64), Windows Vista (x32, x64), Windows 7 (x32, x64), Windows Serv. (x12, x64), Windows Vista (x32, x64), Windows 7 (x32, x64), Windows Serv. (x12, x64), Windows Serv. (x12, x64), Windows Serv. (x12, x64), Windows Serv. (x13, x64), Windows Serv. (x14, x64), Windows Serv. (x14, x64), Windows Serv. (x14, x64), Windows Serv. (x14, x64), Windows Serv. (x15, x64), Windows Serv. (x16, x64),	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2008 (x32, x64) (10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6 Host P, SMTP, LDAP, NTP, SSL, IPX/SPX, AppleTalk, Bonjour, NetBEUI, LTD GB HDD 136 fonts ver 2003, Windows Server 2008 (x32, x64) (utilities only) ver), 10.5, 10.6
IRT DRIVERS: ITERFACE: 0TOCOLS: ITY IC-412 Embedded Image Controller (of the controller of the contr	PCL6: Windows 2000 Professional, Windows NT 4.0, Windows Server 2008 (x32, x64) PS3: Windows 2000 Professic Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), TCP/IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCPv6, Autoption for C360 and C280 only)**: Interpolation	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x6 and, Windows XP Home/Professional (x32, x64), Windows Vista (x02, x6 and, Windows XP Home/Professional (x32, x64), Windows Vista; Windows 2000, Windows XP, Windows Vista; Windows 7 (x32, x6 and x6 and x6 and x7 a	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003, Windows Server 2008 (x32, x64), Windows Server 2008, (x32, x64), Windows Server 2008, (x32, x64), Windows Server 2008, (x32, x64), (10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6 Host P, SMTP, LDAP, NTP, SSL, IPX/SPX, AppleTalk, Bonjour, NetBEUI, LTD GB HDD 136 fonts ver 2003, Windows Server 2008 (x32, x64) (utilities only) ver), 10.5, 10.6 AP, SSL/TLS, SNMP, HTTP/HTTPS, IPv6
TERFACE: ROTOCOLS: ery IC-412 Embedded Image Controller (or ROCESSOR; MEMORY/HARD DISK DRIVE: RIGE DESCRIPTION LANGUAGE; FONTS: RINT DRIVERS: TERFACE: ROTOCOLS: RANDARD SOFTWARE:	PCL6: Windows 2000 Professional, Windows NT 4.0, Windows Server 2008 (x32, x64) PS3: Windows 2000 Professic Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), TCP/IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCPv6, Autoption for C360 and C280 only)**: Inte PCL6 PCL6, PS3: Windows 2000, Windows XP (x32, x64) Mac: OS 9 TCP/IP, IPX/SPX, AppleTalk (EtherT EFI Command Wor	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x6 and, Windows XP Home/Professional (x32, x64), Windows Vista (x32, x6 and, Windows XP Home/Professional (x32, x64), Windows Vista; Windows 2000, Windows XP, Windows Vista, Windows 7 (x32, x6 and x6 and x6 and x6 and x7 a	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003, Windows Server 2003 (x32, x64), Windows Server 2003, Windows Server 2008 (x32, x64) (10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6 Host P, SMTP, LDAP, NTP, SSL, IPX/SPX, AppleTalk, Bonjour, NetBEUI, LTD GB HDD 136 fonts ver 2003, Windows Server 2008 (x32, x64) (utilities only) ver), 10.5, 10.6 AP, SSL/TLS, SNMP, HTTP/HTTPS, IPv6 Remote Scan, Fiery VUE
ONTS: RINT DRIVERS: ITERFACE: ROTOCOLS: ery IC-412 Embedded Image Controller (or rotocols): AGE DESCRIPTION LANGUAGE; FONTS: RINT DRIVERS: ITERFACE: ROTOCOLS: ITENFACE: ROTOCOLS: ROT	PCL6: Windows 2000 Professional, Windows NT 4.0, Will Windows Server 2008 (x32, x64) PS3: Windows 2000 Professic Windows Server 2008 (x32, x64) Universal PS3 and PCL: XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), TCP/IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCPv6, Autoption for C360 and C280 only)**: Interest	PCL: 80 fonts, PostScript 3 Emulation: 137 fonts indows XP Home/Professional (x32, x64), Windows Vista (x32, x6 and, Windows XP Home/Professional (x32, x64), Windows Vista (x02, x6 and, Windows XP Home/Professional (x32, x64), Windows Vista; Windows 2000, Windows XP, Windows Vista; Windows 7 (x32, x6 and x6 and x6 and x7 a	(x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2008 (x32, x64) (10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6 Host P, SMTP, LDAP, NTP, SSL, IPX/SPX, AppleTalk, Bonjour, NetBEUI, LTD GB HDD 136 fonts ver 2003, Windows Server 2008 (x32, x64) (utilities only) ver), 10.5, 10.6 AP, SSL/TLS, SNMP, HTTP/HTTPS, IPv6 Remote Scan, Fiery VUE Rompose Suite, Color Profiler Suite v3.0 UV ES-1000,



Konica Minolta Optimized Print Services offers a full suite of device output services and workflow solutions that increase efficiency and control costs. Please contact your authorized Konica Minolta sales representative for details.

COUNT ON KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.





























